

KAPLAN, M.M.

"Leptospirosis as world problem."

Report submitted to the Second Intl. Symp. on Human and Animal Leptospirosis,
Lublin, Poland 6-8 Dec 1962

KAPLAN, M.M. (Tashkent, Bol'shaya Mirobadskaya ul., tupik 1,d.9);
TSYGANOVA, A.I. (Tashkent, Bol'shaya Mirobadskaya ul., tupik 1,d.9)

Abstracts of articles received by the editors. Ortop., travm.i
protez. 24 no.9:49 S '63. (MIRA 17:4)

1. Iz Respublikanskogo detskogo kostnotuberkuleznogo sanatoriya
imeni Krupskoy Ministerstva zdravookhraneniya Uzbekskoy SSR
(glavnyy vrach - Kh.I.Yusupova).

KAPLAN, M. M.

Answers to readers' questions: Condensation of raw materials
in hydrolytic apparatus. Gidroliz. i lesokhim. prom. 9 no.4:
29-30 '56. (MLBA 9:11)

1. Nachal'nik tekhnologo-montashnogo otdela Gidrogidroliza.
(Hydrolysis)

KAPLAN, M.N.; GUREVICH, E.Ye.

Standard plans for the main building of a hydrolysis yeast plant.
Gidrolis. i lesokhim. prom. 11 no.4:25-27 '58. (MIRA 11:6)

1. Gipregidrolis.

(Yeast)

KAPLAN, M.N., insh.; GURNEVICH, Ya.Ye., insh.

Manufacture of alcohol and furfural from the products of the
prehydrolysis of wood. Dum. prom. 33 no.2:6-8 F '58. (MIRA 11:3)

1. Giprogidrolis.

(Furaldehyde) (Alcohol) (Wood--Chemistry)

KAPIAN, M.M.; MARTYHENKO, K.D.; MOLOCHNYI, B.M.

Standard plan of a hydrolysis furfurole plant. Hidroliz.i lesokhim.
prom. 12 10.3:25-29 '59. (MIRA 12:6)

1. Giprogidroliz.
(Hydrolysis) (Furaldehyde)

MARTYNIENKO, K.D.; KAPLAN, M.H.

Production of furrurole in Italy and France. Gidroliz.1
lesokhim.prom. 12 no.6:26-29 '59. (MIRA 13:2)

1. Giprogidroliz.
(Italy--Furaldehyde) (France--Furaldehyde)

MEDVEDEV, V.M.; KAPLAN, M.M.

Conference on problems in protecting construction elements
from corrosion. Prom. stroi. 38 no. 12:60 '60. (MIRA 13:12)
(Corrosion and anticorrosives)

KAPLAN, M.P., inzh.; BLYUMINA, B.Yu., inzh.

Some problems in the operation of unit-type gas-turbine
installations driving an a.c. generator. *Teploenergetika*
no.4:56-62 Ap '60. (MIRA 13:6)

1. Khar'kovskiy turbinnyy zavod.
(Turbogenerators)

KAPLAN, M.P., inzh.

Determination of the optimum parameters of steam and gas cycles.
Teploenergetika 8 no.5:6-11 My '61. (MIRA 14:8)

1. Khar'kovskiy turbinnyy zavod.
(Gas turbines)

SHUBENKO-SHUBIN, L.A.; KAPLAN, M.P., insh.

"Gas turbines; theory and design" by IA.I.Shnee. Reviewed by L.A.
Shubenko-Shubin, M.P.Kaplan. *Energomashinostroenie* 7 no.10:
43-44 0 '61. (MIRA 14:10)

1. Chlen-korrespondent AN USSR (for Shubenko-Shubin).
(Gas turbines) (Shnee, IA.I.)

SHUBENKO-SHUBIN, L.A.; KORZH, P.I., inzh.; KAPLAN, M.P., inzh.;
PALEY, V.A., inzh.

Gas turbines for large power stations. Teploenergetika 8 no.11:
5-12 N '61. (MIRA 14:10)

1. Khar'kovskiy turbinnyy zavod. 2. Chlen-korrespondent
AN USSR (for Shubenko-Shubin).

(Gas turbines)
(Power engineering)

KAPLAN, Marlen Pavlovich; SAVCHENKO, L.Ya., red.; STARODUB, T.A., tekhn.
red.

[Analysis of the layout of gas-turbine units for electric power
plants] Analiz skhem gazoturbinykh ustanovok dlia elektro-
stantsii. Kiev, Gostekhnizdat USSR, 1962. 109 p. (MIRA 15:9)
(Electric power plants—Equipment and supplies)
(Gas turbines)

PHASE I BOOK EXPLOITATION

SOV/6173

Kaplan, Marlen Pavlovich

Analiz skhem gazoturbinnykh ustanovok dlya elektrostantsiy
(Analysis of Gas-Turbine Installation Schemes for Electric
Power Stations). Kiyev, Gostekhnizdat, 1962. 109 p. 1800
copies printed.

Ed.: L. Ya. Savchenko; Tech. Ed.: T. A. Starodub.

PURPOSE: This book is intended for engineers and scientific
workers dealing with the design of gas-turbine engines and
also for students of these engines.

COVERAGE: The book describes the results of investigations of
variable regimes of gas-turbine power plants intended for
electric power station operation. Some of the results con-
cern gas-turbine installations (GTI) used in other areas of
the national economy. The book discusses the influence of
special structural features of "block" or "unit" schemes

Card 1/5

2

Analysis of Gas-Turbine (Cont.)

SOV/6173

(i.e., schemes in which one or several compressors are located on the generator - turbine shaft) on the economic utility of GTI and on the conditions of compressor operation. Problems of turbine operation on noncalculated parameters of atmospheric air are discussed, and means of improving installation parameters by using variable-angle stators in turbines and compressors are given. Engineer E. Yu. Blyumin took part in the latter study. Included also are results connected with the selection of basic diagrams of the 50,000-kw gas-turbine installation designed and constructed at the Khar'kov Turbine Plant. In the introduction it is mentioned that in recent years the gas temperature in front of the turbine in stationary GTI has been increased to 750 - 800°C. Engineers E. Yu. Blyumin, V. G. Reznikov, M. Z. Nakhmkin, V. A. Paley, and O. A. Macheret helped the author with the calculations. There are 25 references: 12 Soviet, 11 English, 1 French, and 1 German.

Card 2/2

2

SHUBENKO- SHUBIN, L.A.; KAPLAN, M.P., inzh.

Justification of the efficient types of combined gas-and-steam
plants for high capacity power production. Toplenergetika 9 no.11:2-10
N '62. (MIRA 15:10)

1. Khar'kovskiy turbinnyy zavod. 2. Chlen-korrespondent
AN UkrSSR (for Shubenko-Shubin).
(Power plants—Design and construction)

KAPLAN, M.P., inzh.

Analysis of the power cycles of large steam and gas systems.
Energomashinostroenie 9 no.9:18-22 S '63. (MIRA 16:10)

SHUBENKO-SHUBIN, L.A., doktor tekhn. nauk, prof.; KAPLAN, M.P., inzh.

Concerning B.V.Rebrov's book "Marine gas turbine systems." Energo-
mashinoostroenie 11 no.7:47 J1 '65. (MIRA 18:7)

1. Chlen-korrespondent AN UkrSSR (for Shubenko-Shubin).

[illegible]

AP 5-1787C

1000

4 double shaft gas turbine installation

1. "Vilketen" izobretenij i tovarnyh znakov

gas turbine engine

10-104- This Author's Certificate introduces the Air Force gas turbine installation. On one shaft are a medium pressure compressor and a low pressure turbine, while on the other shaft are low and high pressure compressors and a high speed turbine. The installation is designed for high energy roller cart loads. The engine has a valved bypass line which connects the air channel, after the medium compressor with the gas channel after the low pressure turbine. The engine is designed with a recuperator.

277

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000520430011-5

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000520430011-5"

L 59374-65

ACCESSION NR: AP5017870

ENCLOSURE: 01




Fig. 1. 1--medium pressure compressor; 2--low pressure turbine; 3--low pressure compressor; 4--high pressure compressor; 5--high pressure turbine; 6--bypass line; 7--valve; 8--regenerator

Card 3/3 *ADP*

(A) L 9457-66 EPA/EWP(f)/EPF(n)-2/T-2/ETC(m) WW

ACC NR: AP5025067

SOURCE CODE: UR/0286/65/000/016/0117/0117

AUTHORS: Kaplan, M. P.; Povolotskiy, L. V. 44,55

44
B

ORG: none

TITLE: Method for starting a two-shaft gas turbine engine. Class 46, No. 174041

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 16, 1965, 117

TOPIC TAGS: gas turbine engine, engine start up, gas turbine operation, *ENGINE STARTER SYSTEM, ENGINE COMPRESSOR SYSTEM*

455
ABSTRACT: This Author Certificate presents a method for starting up a two-shaft gas turbine which has the medium pressure compressor and the low pressure turbine on one shaft and the low pressure compressor and high pressure turbine on the other shaft. To permit starting with only one electric motor located on the low pressure turbine shaft, part of the air from the medium pressure compressor is ducted to the low pressure combustion chamber (see Fig. 1).

Card 1/2

UDC: 621.438-573

L 9457-66

ACC NR: AP5025067




Fig. 1. 1 - Medium pressure compressor;
2 - low pressure turbine;
3 - low pressure compressor;
4 - high pressure compressor;
5 - high pressure turbine;
6 - duct from medium pressure compressor;
7 - duct to low pressure combustion chamber.

Orig. art. has: 1 figure.

SUB CODE: 21 / SUBM DATE: 28Mar64

Card 2/2 pw

KAPLAN, M. Ya.; STEKHUN, F. I.

~~Results of the treatment of gonorrhea in males with penicillin~~
Results of the treatment of gonorrhea in males with penicillin
in oil. Vest. vener., Moskva no.5:32-33 Sept-Oct 1951. (CIAM 21:1)

KAFLAN, E. YA., STEKHUN, F. I.,

Gonorrhea

Treatment of male gonorrhea with penicillin in combination with autohemotherapy. Vest. ven i
derm. No. 2, 1952

Monthly List of Russian Accessions, Library of Congress, August 1952. Unclassified.

IVANOV, N.P.; YEREMYEV, A.S.; LYUTER, R.A.; KAPLAN, M.Ya.; IPATOV, P.M.

Powerful hydrogenerators. Elektrosila no.14:5-11 '56.
(MIRA 12:12)
(Hydroelectric power stations)

KAPLAN, M.Ya.

Bearings of hydrogenerators. Elektrosila no.14:27-32 '56.
(MIRA 12:12)
(Electric generators) (Bearings (Machinery))

TRUNIN, A.P., kand. tekhn. nauk; DERYABIN, I.M., inzh.; BESPALOV, I.V., inzh.;
VOSKANYAN, V.A., inzh., nauchnyy red.; KAPLAN, M.Ya., red.; VOLCHOK,
K.M., tekhn. red.; PUL'KINA, Ye.A., tekhn. red.

[Engineering preparation for large-element construction; from the
experience of Leningrad construction projects] Inzhenernaia pod-
gotovka krupnoelementnoi zastroiki; iz opyta leningradskikh stroek.
Leningrad, Gos. izd-vo lit-ry po stroit., arkhitekt. i stroit. materi-
alam, 1961. 171 p. (MIRA 14:7)

(Building sites) (Leningrad--Building)

ZIMIN, Vladimir Ivanovich; KAPLAN, Moisey Yakovlevich; PALEY, Anna Markovna;
RABINOVICH, Isay Natanovich; FEDOROV, Vasilii Petrovich [deceased];
KHAKKEN, Petr Andreyevich; RIVLIN, L.B., red.; SOBOLEVA, Ye.M.,
tekhn.red.

[Electric machinery windings] Obmotki elektricheskikh mashin.
Izd.5., perer. Moskva, Gos.energ.izd-vo, 1961. 475 p.
(MIRA 14:6)

(Electric machinery--Windings)

GRISHIN, V.Ya.; ZVORONO, Ya.P.; KAPLAN, M.Ya.

Electrical equipment for an electromagnetic stirring of molten
steel. Elektrosila no.22:18-22 '63. (MIRA 17:1)

KAPLAN, N.Ya.

Hydroelectric generator for the Bratsk Hydroelectric Power station.
Dizl. tekhn.-zhizn. inform. no. 2:40-41 '61. (MIR 14:2)
(Bratsk hydroelectric power station) (Electric generators)

DOMEROVSKIY, V.V., inzh.; KAPLAN, M.Ya., inzh.

Design of large hydrogenerators. Vest.elektroprom. 33 no.4:11-15
Ap '62. (MIRA 15:4)

(Turbogenerators)

DOMBROVSKIY, V.V., inzh.; IPATOV, P.M., kand.tekhn.nauk; KAPLAN, M.Ya., inzh.;
PINSKIY, G.B., inzh.

Large hydrogenerators. Elek. sta. 34 no,1:37-43 Ja '63.
(MIRA 16:2)

(Hydroelectric power stations)
(Turbogenerators)

DOMBROVSKIY, Vyacheslav Vyacheslavovich; YEREMEYEV, Aleksandr
Sergeyevich; IVANOV, Nikolay Pavlovich; IPATOV, Pavel
Mikhaylovich; KAPLAN, Moiseye Yakovlevich; PINSKIY,
Grigoriy Borisovich; ~~ZNAVTS, G.K.~~; ~~Nauchn.~~ red.;
ZARITSKIY, Ya.V., red.

[Design of hydrogenerators] Proektirovanie gidrogenera-
torov. [By] V.V.Dombrovskii i dr. Moskva, Energiia.
Pt.1. 1965. 257 p. (MIRA 18:3)

BULACH, M. Kh.; KAPLAN, M. Ye.

Study of fracturing in Upper Cretaceous rocks of the northeastern
Caucasus. Trudy VNIIGRI no.193:30-55 '62. (MIRA 15:12)
(Caucasus, Northern—Oil sands)

KAPLAN, M.Ye.

Bituminous and chemical characteristics of stylolites in the
limestones of the Northern Caucasus. Trudy VNIGRI no.227
Geokhim.sbor. no.9:212-225 '64. (MIRA 18:1)

KAPLAN, M. Ye.

Stylolites of the Upper Cretaceous limestones of the northeastern
Caucasus. Trudy VNIIGRI no.223:110-131 '64. (MIRA 17:8)

Genetic affinity of macro- and microfractures in limestone.
Ibid.:276-284.

KAPLAN, M. Ye.; BULACH, M. Kh.

Connection between stylolitic structures and fracturing in rocks.
Trudy VNIGRI no.193:178-186 '62. (MIRA 15:12)
(Stylolites) (Joints (Geology))

KAPLAN, M.Ye.

Organic matter of stylites. Geokhimiia no.8:754-758 Ag '63.
(MIRA 16:9)

1. All-Union Institute of Oil Scientific Research and Geological Prospecting.

SMEKHOV, Ye. M., prof.; BULACH, M.Kh., kand. geol.-mineral. nauk;
ROMM, Ye.S.; GORYUNOV, I.I.; GMID, L.P.; GROMOV, V.K.;
DOROFYEVA, T.V.; KNORING, L.D.; KALACHEVA, V.M.; TATARINOV,
I.V.; KLEYNOBOV, Yu.F.; KAPLAN, M.Ye.; ZVONITSKAYA, I.V.;
MAZURKEVICH, Z.I.; DRYABINA, N.N.; RUSAKOVA, L.Ya., vedushchiy
red.; BARANOVA, L.G., tekhn. red.

[Methodological text on the study of the fracturing of rocks
and fractured oil and gas reservoirs]. Metodicheskoe posobie
po izucheniiu treshchinovosti gornyykh porod i treshchinnykh
kollektorov nefti i gaza. Leningrad, Gostoptekhsdat, 1962.
76 p. (Leningrad. Vsesoyuznyi neftianoi nauchno-issledovatel'-
skii geologorazvedochnyi institut. Trudy, no.201).

(MIRA 16:4)

(Joints(Geology)) (Oil sands)

KAPLAN, M.Ye.

Diagenesis and epigenesis of Triassic sediments in the southern part
of the Maritime Territory. Dokl. AN SSSR 163 no.4:978-979 Ag 165.
(MIRA 18:8)

1. Vseroyuznyy naftyanoy nauchno-issledovatel'skiy geologorazvedochnyy
Institut. Submitted April 27, 1965.

KAPLAN, N.

Good Soviet souvenirs are needed. Prom.koop. 14 no.2:10-11
P '60. (MIRA 13:5)

1. Zaveduyushchaya laboratoriyey Nauchno-issledovatel'skogo
instituta khudozhestvennoy promyshlennosti Rospromsoвета.
(Souvenirs(Keepsakes))

Kaplan, M.

Richardson, George W. (1913-1984) U.S. Army

KAPLAN, N.; GURNEVICH, A.,

Building meat combines in the Crimea. Mias. ind. ~~SSSR~~ 26 no.6:
36-39 '55. (MLRA 9:2)

1. Ciprouyase.
(Crimea--Meat industry)

KAPLAN, H.; ITINA, M.

Manufacturing an artificial protein casing. Mas. ind. SSSR
30. no.3:40-41 . '59. (MIRA 12:9)

1. Glycerase.
(Sausage casings)

KRYUKOVA, I., kand.iskusstvovedeniya; RABOTNOVA, I., kand.iskusstvove-
deniya; YAKOVLEVA, Ye., kand.iskusstvovedeniya; KAPLAN, H.

This will be seen at the exhibition. Prom.koop. 14 no.6:
4-6 Je '60. (MIRA 13:7)
(Moscow--Art industries--Exhibitions)

KAPLAN, N., inzh.po tekhnike bezopasnosti.

Facing his friends. Okhr. truda i sots. strakh. 4 no. 2:36-
37 F '61. (MIRA 14:2)

1. Vinnitskiy masloshirkombinat.
(Vinnitsa—Oil industries—Hygienic aspects)

BOLDYREV, P.; KAPLAN, N.; GUREVICH, A.

Selecting the type and capacity of meat industry enterprises
under construction. *Mias.ind.S.S.S.R.* 33 no.6:29-33 '62.

(MIRA 16:1)

1. Gosudarstvennyy institut po proyektirovaniyu predpriyatiy
myasnoy promyshlennosti.


(Meat industry)

(Factories—Design and construction)

1. GORENBEYN, Ye. Ya.; KAPLAN, H. I.
2. USSR (600)
4. Electrolytes
7. Investigation of concentration chains in solvents with a low dielectric constant.
Ukr. khim. zhur. 17, No. 4, 1951.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000520430011-5



APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000520430011-5"

KAPLAN, N. I.

USSR/Chemical Technology - Chemical Products and Their Application. Wood Chemistry
Products. Cellulose and Its Manufacture. Paper, I-23

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 63349

Author: Konkin, A. A., Kaplan, N. I., Rogovin, Z. A.

Institution: None

Title: Comparative Investigations of the Rate of Hydrolysis of Xylan and
Cellulose

Original

Periodical: Zh. prikl. khimii, 1955, 28, No 7, 729-734

Abstract: Rate of xylan hydrolysis in a homogeneous medium is about 4 times and
in a heterogeneous medium 70 times higher than that of cellulose. The
principal factor that determines the higher rate of xylan hydrolysis,
as compared with cellulose in a heterogeneous medium is not the com-
position of the elemental units but the different physical structure
of these polysaccharides which determines the difference in intensity
of intermolecular interaction.

Card 1/1

Subject : USSR/Chemistry AID P - 3571

Card 1/1 Pub. 152 - 8/20

Authors : Konkin, A. A., N. I. Kaplan, and Z. A. Rogovin

Title : Comparative study of the hydrolysis rate of xylane and cellulose

Periodical : Zhur. prikl. khim., 28, 7, 729-734, 1955

Abstract : The rate of hydrolysis of xylane in a homogeneous medium is 3.75 times greater than that of cellulose. In a heterogeneous medium, the hydrolysis of xylane proceeds 70-75 times more rapidly than that of cellulose. Three tables, 15 references, 10 Russian (1948-1953).

Institution : Moscow Textile Institute. Chair of Artificial Fibers

Submitted : N 22, 1953

KAPLAN, N.L.

Method of making combined non-removable dental prostheses.

Stomatologiya no.2:57 Mr-Apr '54.

(MLRA 7:4)

1. Is kafedry ortopedicheskoy stomatologii (zaveduyushchiy - professor A.I.Betel'man) Kiyevskogo meditsinskogo stomatologicheskogo instituta (direktor - professor A.K.Gorchakov).
(Artificial teeth)

SAKADA, Ya.N.; MUKHIN, N.S.; KAPLAN, N.L.; FRIDMAN, M.

Some proposals for improvement in dental prosthesis technics. Stomatologia 38 no.5:78 8-0 '99.
(MIRA 13:3)

1. Zaveduyushchiy subeprotseyny laboratoriyey Moskovskogo meditsinskogo stomatologicheskogo instituta.
(DENTAL PROSTHESIS)

KAPLAN, V.V.
SHNITSER, S.S., kandidat ekonomicheskikh nauk; KARAKOZOVA, V.V.; KAPLAN,
N.M.; GUREVICH, A.I.

Comparative economic effectiveness of building meat enterprises
of different capacities. Trudy VNIIE no.6:127-139 '54. (MLRA 10r6)
(Meat industry)

ANDRIANOV, S.M.; BARYUTIN, B.S.; BEZHETSKIY, M.I.; BOGDANOV, M.H.;
GOLOVANOV, S.V.; IOFE, N.S.; KAPLAN, S.M.; KIRBYEV, A.V.;
KOLOBOV, G.M.; KOROLEVA, M.A.; KURIN, A.I.; MINAYEV, M.S.;
POZENYAKOVA, T.A.; PROKOPOVICH, V.M.; SOLOV'YEV, S.N.;
TENT'YAKOV, N.P.; CHEKOV, A.M.; FILIMONOV, N.D.

Petr Fedorovich Lal'kov; obituary. Ptitsvodstvo 9 no.8:48
Ag '59. (MIRA 12:12)
(Lal'kov, Petr Fedorovich, 1905?—1959)

DEREVIYANKO, M.F.; KAPLAN, M.M.

~~CONFIDENTIAL~~
Economic conference at the Vinnitsa Oils and Fats Combine.

Masl.-shir.prom. 26 no.4:17-18 Ap '60.

(MIRA 13:6)

(Vinnitsa--Oil industries--Equipment and supplies)

ARATOV, I.S.; KAPLAN, N.M., inzh.; NIZAMOVA, N.W., inzh.;
GUSEVA, M.I., inzh.

Various information. Masl.-shir. prom. 29 no.3:39-40 Mr '63.
(MIRA 16:4)

(Oil industries)

BATRAKOVA, I.O.; KAPLAN, N.M.

Utilization of wastes in the Vinnitsa Oils and Fats combine.

Khar. prom. no.1:60-61 Ja-Mr '65.

(MIRA 13:4)

BATRAKOVA, I.O.; KAPLAN, N.M.

Utilization of wastes in the Vinnitsa Oils and Fats combine.
Khar. prom. no.1:60-61 Ja-Mr '65. (MIRA 1814)

KAPLAN, O. YA.

27983. KAPLAN, O. YA. -- Khronicheskiye meta-epifizarnyye i osteoniel'nyy ognestrel'nogo proiskhozhdeniya. Trudy pervoy nauch. Mezhdresp. Konf-tsa po lecheniyu invalidov otechestv. Voiny v sred. Azii. Tashkent, 1949, 3. 10-39.

50: Letopis' Zhurnal'nykh Statey. Vol. 37, 1949.

KAPLAN, P.

O khode podgotovki k zime linii Moskva-Khar'kov Moskovskogo upravleniia GVE.
/On the methods of preparing the Moscow-Kharkov line for winter operations/.
(Grazhdanskaia aviatsiia, 1934, no. 9, p. 4-6).

DLC: TL594.G7

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress,
Reference Department, Washington, 1952, Unclassified.

117

Compenentary properties of the liver in carbohydrate metabolism. P. M. Kaplan. *Med. expl. (Ukraine)* 1936, No. 6, 45-55. Glucose was administered to dogs per os (0.5-4.0 g./kg. body wt.) and detd. in the blood after 30 min.—4 hours. Removal of 40-45% of the liver tissue had no effect on the blood-sugar content except that of delaying the max. of the hyperglycemia and the return to normal in response to sugar administration. From 21 to 25 days after the operation the blood-sugar tolerance curve returned to normal. N. A. Coram

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

11E

CP

Compensating characteristics of the liver in carbo-
hydrate metabolism. P. M. Kasjan. *Dokl. akad. nauk
S.S.S.R.* 1957-8(1957) (in German).—See C. A.
31, 2384.

S. A. Kasjaja

ADD-56A METALLURGICAL LITERATURE CLASSIFICATION

1956-1957

1958-1959

1960-1961

1962-1963

1964-1965

1966-1967

1968-1969

1970-1971

1972-1973

1974-1975

1976-1977

1978-1979

1980-1981

1982-1983

1984-1985

1986-1987

1988-1989

1990-1991

1992-1993

1994-1995

1996-1997

1998-1999

2000-2001

2002-2003

2004-2005

2006-2007

2008-2009

2010-2011

2012-2013

2014-2015

2016-2017

2018-2019

2020-2021

2022-2023

2024-2025

2026-2027

2028-2029

2030-2031

2032-2033

2034-2035

2036-2037

2038-2039

2040-2041

2042-2043

2044-2045

2046-2047

2048-2049

2050-2051

2052-2053

2054-2055

2056-2057

2058-2059

2060-2061

2062-2063

2064-2065

2066-2067

2068-2069

2070-2071

2072-2073

2074-2075

2076-2077

2078-2079

2080-2081

2082-2083

2084-2085

2086-2087

2088-2089

2090-2091

2092-2093

2094-2095

2096-2097

2098-2099

2100-2101

2102-2103

2104-2105

2106-2107

2108-2109

2110-2111

2112-2113

2114-2115

2116-2117

2118-2119

2120-2121

2122-2123

2124-2125

2126-2127

2128-2129

2130-2131

2132-2133

2134-2135

2136-2137

2138-2139

2140-2141

2142-2143

2144-2145

2146-2147

2148-2149

2150-2151

2152-2153

2154-2155

2156-2157

2158-2159

2160-2161

2162-2163

2164-2165

2166-2167

2168-2169

2170-2171

2172-2173

2174-2175

2176-2177

2178-2179

2180-2181

2182-2183

2184-2185

2186-2187

2188-2189

2190-2191

2192-2193

2194-2195

2196-2197

2198-2199

2200-2201

2202-2203

2204-2205

2206-2207

2208-2209

2210-2211

2212-2213

2214-2215

2216-2217

2218-2219

2220-2221

2222-2223

2224-2225

2226-2227

2228-2229

2230-2231

2232-2233

2234-2235

2236-2237

2238-2239

2240-2241

2242-2243

2244-2245

2246-2247

2248-2249

2250-2251

2252-2253

2254-2255

2256-2257

2258-2259

2260-2261

2262-2263

2264-2265

2266-2267

2268-2269

2270-2271

2272-2273

2274-2275

2276-2277

2278-2279

2280-2281

2282-2283

2284-2285

2286-2287

2288-2289

2290-2291

2292-2293

2294-2295

2296-2297

2298-2299

2300-2301

2302-2303

2304-2305

2306-2307

2308-2309

2310-2311

2312-2313

2314-2315

2316-2317

2318-2319

2320-2321

2322-2323

2324-2325

2326-2327

2328-2329

2330-2331

2332-2333

2334-2335

2336-2337

2338-2339

2340-2341

2342-2343

2344-2345

2346-2347

2348-2349

2350-2351

2352-2353

2354-2355

2356-2357

2358-2359

2360-2361

2362-2363

2364-2365

2366-2367

2368-2369

2370-2371

2372-2373

2374-2375

2376-2377

2378-2379

2380-2381

2382-2383

2384-2385

2386-2387

2388-2389

2390-2391

2392-2393

2394-2395

2396-2397

2398-2399

2400-2401

2402-2403

2404-2405

2406-2407

2408-2409

2410-2411

2412-2413

2414-2415

2416-2417

2418-2419

2420-2421

2422-2423

2424-2425

2426-2427

2428-2429

2430-2431

2432-2433

2434-2435

2436-2437

2438-2439

2440-2441

2442-2443

2444-2445

2446-2447

2448-2449

2450-2451

2452-2453

2454-2455

2456-2457

2458-2459

2460-2461

2462-2463

2464-2465

2466-2467

2468-2469

2470-2471

2472-2473

2474-2475

2476-2477

2478-2479

2480-2481

2482-2483

2484-2485

2486-2487

2488-2489

2490-2491

2492-2493

2494-2495

2496-2497

2498-2499

2500-2501

2502-2503

2504-2505

2506-2507

2508-2509

2510-2511

2512-2513

2514-2515

2516-2517

2518-2519

2520-2521

2522-252

CA

11E

PROCESSES AND PROPERTIES INDEX

The cerebellum and carbohydrate metabolism. P. M. Kaplan. *Mid. expl. (Ukraine)* 1937, No. 4, 37-48 (1937); *Chem. Zvest.* 1938, II, 2290-1. — Using 8 dogs as expl. animals, the blood sugar was detd. after fasting and again after feeding glucose. These detns. were made before and after removal of the cerebellum. Removal of this organ was without effect on the blood sugar of the fasting animals. On the other hand, the increase in the blood sugar after the feeding of glucose was much higher after the cerebellum had been removed than before, however, was not stable; the normal reaction was shown more after 10-20 days. M. G. Minner.

ASH-LEA METALLURGICAL LITERATURE CLASSIFICATION

FROM 570-03100

100000-100 000 000

COLLECTOR

FROM 570-03100

COLLECTOR 000 000 100

1ST AND 2ND COLUMNS		PROCESS AND PROPERTIES INDEX		1ST AND 2ND COLUMNS	
CA				11F	
<p>The cerebellum and carbohydrate metabolism. II. P. M. Kaplan. <i>J. Physiol. (U.S.S.R.)</i> 25, 322 (1968); <i>Cibet. Zool.</i> 1969, 1, 903; cf. <i>C. A.</i> 34, 5125. The operative removal of the vermiciform process together with the medial portions of the cerebral hemispheres of expl. animals (dogs) altered the blood-sugar level of the animals, which were fasting. Extirpation of the cerebellum had a like effect. The administration of glucose (1.5 g. per kg. of body wt.) after both of these operations produced a quantitatively equal hyperglycemia in both cases. The hyperglycemia persisted for 30-45 days in the first case and 3.5-5 months in the 2nd. Extirpation of the vermiciform process alone produced a less pronounced increase in the blood-sugar level after the administration of glucose. After removal of the vermiciform process along with the medial portions of the cerebral hemispheres as well as after extirpation of the cerebellum the curves showing the sugar values were higher than normal; this was true especially just after operation. Removal of small portions of the cerebellum had only slight effect on the blood-sugar level.</p> <p style="text-align: right;">M. A. Moore</p>					
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION					
12000 17000000		12000 17000000		12000 17000000	
12000 17000000		12000 17000000		12000 17000000	

11H

CH

Super-loading effect on blood pressure. P. M. Kaplan
and R. I. Levine. *Fracture* 20, 92(1946). --
Dogs and rabbits, given 1.5-2.0 g/kg glucose per os, the
showed an increase of blood pressure by some 20%. The
effect dies out in about 2 hrs. Rabbits given 5 g/kg cane
sugar gave an even sharper effect (shown on curves).
G. M. Kozlov

AD-55 METALLURGICAL LITERATURE CLASSIFICATION

FROM CIVILIAN

TO: M A V H C I

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

KAPLAN, P. M.
USSR.

✓ Experimental hyperparathyroidism. Z. B. Dolgus and P. M. Kaplan (Ukrain. Inst. Exptl. Endocrinol., Med. Stokhatov: Kiev). *Arkiv. Patol.* 13, No. 5, 28-33 (1951).—Chronic irritation of the parathyroid glands of rabbits, dogs, and rats leads to significant and prolonged hypercalcemia. Following extirpation of 3 parathyroid glands in rabbits (resulting in hypocalcemia) and irritation of the remaining gland prevents hypocalcemia and leads to hypercalcemia. The irritation of the gland was induced by a thread pulled through the gland. J. A. Stekol.

BROMBERG, M.D.; DINERSHTEYN, Z.M., professor, direktor; DOLOGINA, Z.B.; KAPLAN,
P.M.; VLASENKO, P.V., direktor.

Effect of chronic irritation of parathyroid glands on teeth and jaws. Stomatologia no.4:3-6 J1-Ag '53. (MLRA 6:9)

1. Institut eksperimental'noy endokrinologii (for Dinershteyn). 2. Meditsinskiy stomatologicheskiy institut (Khar'kov) (for Vlasenko).
(Parathyroid glands—Diseases) (Teeth) (Jaws)

USSR/Human and Animal Physiology. Internal Secretion.

V

Abs Jour: Ref. Zhur-Biol., No 6, 1958, 27180.

Author : P.M. Kaplan, G.K. Dayneka, E.V. Markova and
N.M. Turubiner

Inst :

Title : Interoceptive Influences of the Parathyroid Glands

Orig Pub: Probl. endokrinol. i gormonoterapii, 1955, 1, No 2,
57-67.

Abstract: In 7 out of 8 dogs and 8 out of 11 rabbits after removal of the parathyroid glands of one side and in 6 out of 10 rabbits after removal of the outer parathyroid gland, there occurred a considerable increase in the chronaxie of the muscles of the same side (m. tibialis anticus). This phenomenon is viewed as the result of the drop in centripetal

Card : 1/3

Dept. Electrophysiology, Ukr Inst Exptl. Endocrinology

USSR/Human and Animal Physiology. Internal Secretion.

V

Abs Jour: Ref Zhur-Biol., No 6, 1958, 27180.

influence of parathyroid interoceptors. Removing the rabbit parathyroid glands from one side against a background of asymmetry in the blood Ca content of symmetrical vessels as a result of chronic stimulation of the motor and premotor zones of the cortex of the same side produces a change in the direction of the asymmetry toward the opposite side. The direction of asymmetry in Ca content is not altered when the contralateral (with respect to the focus of cortical stimulation) parathyroid glands are removed. The continuous inflow of impulses from parathyroids sewn through on one side with thread resulted in 15 out of 20 rabbits and in dogs in a shortening of chronaxie on the side stimulated. After inhibition (sleep)

Card : 2/3

68

USSR/Human and Animal Physiology. Internal Secretion.

V

Abs Jour: Ref. Zhur-Biol., No 6, 1958, 27180.

the asymmetry in chronaxie caused by removal or stimulation of parathyroid glands was seen to disappear and to reappear again at the conclusion of the inhibition. After conditioned reflexes were established for the parotid gland with subsequent removal or stimulation of one or both parathyroid glands of one side, conditioned-reflex activity was altered homolaterally (or changed bilaterally, but not to the same extent)-- in the case of removal, as a result of the fall in conditioned-reflex activity; with stimulation, as a result of its intensification.

Card : 3/3

KAPLAN, P.M.

DIMERSHTAYN, Z.M. (Khar'kov); KAPLAN, P.M. (Khar'kov); SERDYUKOVA, O.A.
(Khar'kov)

Effect of surgery of the oral cavity on gastric evacuatory function.
Probl. stom. 3:277-282 '56 (MLA 10:5)
(STOMACH) (MOUTH--SURGERY)

KAPLAN, P.M.

LEKHTSIYER, L.I. (Khar'kov); VORONYANSKIY, G.S. (Khar'kov); ~~KAPLAN, P.M.~~
(Khar'kov) SUKHOVIY, F.I. (Khar'kov); DINERSHTYN, Z.M. (Khar'kov);
SERDYUKOVA, O.A. (Khar'kov)

Clinical, anatomical and physiological peculiarities of epulis.
Probl. stom. 3:303-316 '56 (MLRA 10:5)
(GUMS--TUMORS)

KAPLAN, P.M.; TURUBINER, N.M.

Vitality of rabbits following excision of the parathyroid glands in two stages. Fisiol. zhur. 42 no.5:393-396 My '56. (MLRA 9:11)

1. Ukrainskiy institut eksperimental'noy endokrinologii, Khar'kov.
(PARATHYROID GLAND, surg.
oper. excis. in two stages, postop. vital capacity of
rabbits)

~~SECRET~~
KAPLAN, P.M., TURUBINER, N.M., CHUMAKOVA, T.A. [Chumakova, T.O]

Influence of the interoceptors of parathyroid glands on the higher nervous activity [with summary in English]. *Fiziol. zhur. Ukr.*
4 no.5:604-611 8-0 '58 (MIRA 11:11)

1. Ukrainskiy institut eksperimental'noy endokrinologii, etdel
elektrofiziologii.
(PARATHYROID GLANDS—INNERVATION)
(CONDITIONED RESPONSE)

KAPLAN, P.M.; MARKOVA, Ye.V.; TURUBINER, N.M.

Effect of splenectomy on calcium concentration in blood serum.
Fiziol.zhur. 45 no.8:1009-1014 Ag '59. (MIRA 12:11)

1. Ukrainskiy institut eksperimental'noy endokrinologii,
Khar'kov.

(SPLEEN, surgery)

(CALCIUM, blood)

KAPLAN, P.M.; MARKOVA, Ye.V.; TURUBINER, N.M.

Interceptive influences of parathyroid glands. Sbor. nauch. trud.
Ukr. nauch.-issl. inst. eksper. endok. 15:172-183 '59.

(MIRA 14:11)

(PARATHYROID GLANDS) (RECEPTORS (NEUROLOGY))

KAPLAN, P.M.; AKISHINA, N.I.; TURUBINER, N.M.

Effect of spleen transplantation on the concentration of calcium
in the blood serum. Fiziol. zhur. 46 no.12:1497-1501 D '60.

(MIRA 14:1)

1. Ukrainskiy institut eksperimental'noy endokrinologii, Khar'kov.
(SPLEEN—TRANSPLANTATION) (CALCIUM IN THE BODY)
(BLOOD PLASMA)

KAPLAN, P. M., prof. (Khar'kov)

Reception of the endocrine glands. Probl. endok. i gorm. no.6:105-114
'61. (MIRA 14:12)

1. Iz otdela elektrofiziologii (sav. - prof. P. M. Kaplan) Ukrainskogo
instituta eksperimental'noy endokrinologii (dir. - kandidat meditsin-
skikh nauk S. V. Maksimov)

(ENDOCRINE GLANDS) (RECEPTORS(NEUROLOGY))

KAPLAN, Pavel Moiseyevich, prof.; SANKHOVSKIY, Ya.D., dots., otv. red.;
VAYNBERG, D.A., red.; ALEKSANDROVA, G.P., tekhn. red.

[Receptors of the endocrine glands] Retseptsiia endokrinnykh
zhelez. Khar'kov, Izd-vo Khar'kovskogo univ., 1961. 201 p.
(MIRA 15:7)

(ENDOCRINE GLANDS—INNERVATION)

KAPLAN, P.M., prof. (Khar'kov); TURUBINER, N.M., kand. med. nauk (Khar'kov).

Effect of endocrine gland reception on higher nervous activity
and on its possible participation in mental disorders of en-
docrine origin. Probl. endok. i gorm. 9 no.5:49-54, 8-0'63.

(MIRA 16:12)

1. Iz otdela elektrofiziologii (zav. - prof. P.M. Kaplan) Ukra-
inskogo instituta eksperimental'noy endokrinologii (dir. - kand.
med. nauk. S.V. Maksimov).

KAPLAN, P.M.; TURUBINER, N.M.

Possible role of the receptive factor of the glands of internal secretion in mental disorders of endocrine origin. Trudy. Ukr. nauch.-issl. inst. eksper. endok. 19:179-189 '64. (MIRA 18:7)

1. Iz otdela elektrofiziologii Ukrainskogo instituta eksperimental'noy endokrinologii.

~~MAKIMOV, S. M., MAKIMOV, S. V., TORBINER, N. M.~~

"Unconditioned and Conditioned Reflex Asymmetry As An Index of Interception of the Suprarenals."

Theses of the Proceedings of the Annual Scientific Sessions 23-26 March 1959
(All-Union Institute of Experimental Endocrinology)

From the Department of Electrophysiology (Head--Professor P.M. Kaplan) of the Ukrainian Institute of Experimental Endocrinology (Director--S. V. Maksimov, Candidate of Medical Sciences)

<p>117 AND 120 CODES</p> <p>PROCESSES AND PROPERTIES INDEX</p> <p>13</p> <p>Resin as an insulator. P. Chugunov and R. Kaplan. <i>Loudon. Proc. 3, No. 4, 24-7 (1940); Chem. Zvest. 1940, 11, 1761 3.</i> -The elec. const. of the neutral part of resin is 4-fold that of the acid. The insulator should be prepul. from pure resinic acid, or the neutral component should be removed by chem. or preferably phys. means. The neutral component can be removed by adsorption on Al₂O₃ activated with 10% H₂SO₄. Activation of the alumina after treatment impairs the adsorption capacity. The treatment of resin and of a 20 ml resinol mix diminished their dielectric losses appreciably.</p> <p>M. Hoch</p>	
<p>ASD-3.6 DETAILING LITERATURE CLASSIFICATION</p> <p>117 AND 120 CODES</p> <p>117 AND 120 CODES</p>	

ACC NR: AP6008728 (A) SOURCE CODE: UR,0356/65/000/011/0022/0026

AUTHOR: Kaplan, R. (Engineer); Nesterov, Ye. (Engineer)

ORG: none

TITLE: A mobile-water raising installation

SOURCE: Tekhnika v sel'skom khozyaystve, no. 11, 1965, 22-26

TOPIC TAGS: water, pump, special purpose truck, agricultural machinery/ PPV-30 special purpose truck

ABSTRACT: The authors describe the PPV-30 mobile unit developed by the Kazakh Scientific Research Institute of Mechanization and Electrification of Agriculture designed for raising water from well shafts up to 30 m deep. The unit consists of an O-16-A air compressor, a PN-2K pneumatic pump and a mechanical winch mounted on a UAC-450D truck. The compressor is driven at 1100-1200 rpm from the truck engine through a power takeoff shaft. The output air pressure varies from 3 to 4 kg/cm². Using this mobile unit, a single driver may cover ten watering places separated by up to 5 km in a single seven-hour shift pumping 5 cubic meters of water from each well. The pump has a capacity of 12 cm³/hr with a head of up to 30 meters. The unit is very useful on sheep ranches. Orig. art. has: 3 figures.

SUB CODE: 02/ SUBM DATE: 00/ ORIG REF: 000/ OTH REF: 000

Card 1/1 PB UDC: 621.649.7:633.2.033

SHCHERBAN', A.N. [Shcherban', O.N.] (Kiyev); KAFLAN, R.A. (Kiyev);
PRIMAK, A.V. [Prymak, A.V.] (Kiyev)

Transmitting device of a frequency telemetry system of low-
power output signals. Avtomatyka 8 no.6:42-46 '67.
(MIRA 17:8)

SULIM, Andrey Vasil'yevich. Prinimali uchastiye: SARKISOV, V.S.;
KAPLAN, R.B.; TARABORIN, N., nauchnyy red.; MOKRETSOV, A.,
red.; BONDAROVSKAYA, G., red.

[Manufacture of optical parts] Proizvodstvo opticheskikh
detalei. Moskva, Vysshaya shkola, 1964. 310 p.
(MIRA 18:2)

KAPLAN, R. L.

PHASE I BOOK EXPLOITATION

SOV/5590

42

Konferentsiya po poverkhnostnym silam. Moscow, 1960.

Issledovaniya v oblasti poverkhnostnykh sil; sbornik dokladov na konferentsii po poverkhnostnym silam, aprel' 1960 g. (Studies in the Field of Surface Forces; Collection of Reports of the Conference on Surface Forces, Held in April 1960) Moscow, Izd-vo AN SSSR, 1961. 231 p. Errata printed on the inside of back cover. 2500 copies printed.

Sponsoring Agency: Institut fizicheskoy khimii Akademii nauk SSSR.

Resp. Ed.: B. V. Deryagin, Corresponding Member, Academy of Sciences USSR; Editorial Board: N. N. Zakhavayeva, N. A. Krotova, M. M. Kusakov, S. V. Nerpin, P. S. Prokhorov, M. V. Talayov and G. I. Fuks; Ed. of Publishing House: A. L. Bankvitser; Tech. Ed.: Yu. V. Pylina.

PURPOSE: This book is intended for physical chemists.

Card 1/8

Studies in the Field of Surface Forces (Cont.)

42
SOV/5590

COVERAGE: This is a collection of 25 articles in physical chemistry on problems of surface phenomena investigated at or in association with the Laboratory of Surface Phenomena of the Institute of Physical Chemistry of the Academy of Sciences USSR. The first article provides a detailed chronological account of the Laboratory's work from the day of its establishment in 1935 to the present time. The remaining articles discuss general surface force problems, polymer adhesion, surface forces in thin liquid layers, surface phenomena in dispersed systems, and surface forces in aerosols. Names of scientists who have been or are now associated with the Laboratory of Surface Phenomena are listed with references to their past and present associations. Each article is accompanied by references.

TABLE OF CONTENTS:

Zakhavayeva, N. N. Twenty-Five Years of the Laboratory of Surface Phenomena of the IFKhan SSSR (Institute of Physical Chemistry of the Academy of Sciences USSR)

Card 2/8

3

Studies in the Field of Surface Forces (Cont.)

SOV/5590

III. SURFACE FORCES IN THIN LAYERS OF LIQUIDS

Akhmatov, A. S. Fundamental Law of Boundary Friction and Its Physical Basis 93

Fuks, G. I. Properties of Organic Acid Solutions in Hydrocarbon Liquids at the Surface of Solids 99

Tolstoy, D. M. Some Considerations on the Regularities of Friction of the First Order 113

Tolstoy, D. M., R. L. Kaplan, Lin Fu-sheng, P'an Pin-yao. New Experimental Data on External Friction 126

Deryagin, B. V., N. N. Zakhavayeva, S. V. Andreyev, A. A. Milovidov, A. M. Khomutov. Study of the Flow of Thin Layers of Polymer Solutions By the Cinematographic Method 139

Voropayeva, T. N., B. V. Deryagin, B. N. Kabanov. Effect of the Concentration of an Electrolyte on the Magnitude of the

Card 5/8

15 6000
11 9000

31901
S/643/61/000/000/007/007
EO75/E485

AUTHORS: Tolstoy, D.M., Kaplan, R.L., Lin Fu-sheng,
Pan Pin-Yao

TITLE: New experimental data on surface friction

SOURCE: Konferentsiya po poverkhnostnym silam. Moscow, 1960.
Issledovaniya v oblasti poverkhnostnykh sil; sbornik
dokladov na konferentsii. Moscow, Izd-vo AN SSSR, 1961.
At heat of title: Akademiya nauk SSSR. Institut
fizicheskoy khimii. 126-138

TEXT: This paper is a continuation of a previous work of
D.M.Tolstoy and P'an Pin-Yao (Ref.1: Dokl. AN SSSR, 1957, v.114,
1231). The aim of the present work was to obtain more data on
the relationship between the dynamic and kinetic friction using a
traction-force dynamometer method. An improved vibrationless
apparatus is used which permits the study of kinetic surface
friction either by the method of recording of the frictional
oscillations or by measuring kinetic friction with the
oscillations completely damped. In the experiments where the
frictional oscillations were measured for the dry friction of the
Card 1/5

33901

S/643/61/000/000/007/007
E075/E485

New experimental data ...

first degree, all oscillographs had see-saw shapes. The sliding surfaces investigated were steel on steel and steel on lead. The slider rested on three rigidly fixed balls (diameter 3 or 20 mm) or three curved surfaces (diameter 100 mm). The second surface was a flat metal plate. The surfaces were cleaned by fine silica gel powder (particle diameter less than 1 micron). The friction was studied for the dry surfaces and the surfaces wetted with a number of lubricants. The following conclusions have been drawn from the results obtained.

- 1) It was confirmed that the friction force decreases with sliding speed in the speed range of the order of microns per second and becomes constant in the speed range of tens and hundreds of microns per second. This applies to clean surfaces as well as to those covered with boundary lubricants.
- 2) It was established that the fall in the frictional coefficient with increasing sliding speed depends on the acceleration or deceleration of the slider. It is thought that the growth of friction force with the decreasing sliding speed is caused by the increase in the time of interaction between asperities on the sliding surfaces. This leads to a greater degree of plastic

Card 2/5

New experimental data ...

31901
S/643/61/000/000/007/007
E075/E485

deformation of the asperities and thus increases the total area of contact. This effect increases with deceleration.

3) The coefficient of friction increases with the time during which the sliding surfaces are at rest and reaches rapidly a constant value (4 to 10 sec). The presence of lubricant lengthens this period to 80 sec. Improvements of surface finish also increase the time of attainment of the equilibrium value of the friction coefficient.

4) An increase in the load applied to the slider, other conditions being constant, facilitates the initiation of frictional oscillations, not only on account of the increase in the frictional force but also because of a widening in the area in which the frictional force decreases. This decrease favours the frictional oscillations.

5) An increase of the surface finish and cleanliness also widens the area in which the frictional force decreases with speed and increases the coefficient of friction in this area.

6) The friction coefficient depends on the orientation of the rubbing plates, the parallel orientation giving the minimum values.

Card 3/5

New experimental data ...

31901
S/643/61/000/000/007/007
E075/E485

- 7) An additional factor causing the frictional oscillations is the difference between the static and kinetic friction coefficients.
 - 8) The friction coefficients increase with the diameter of the sliding curvatures when the underlying surface is softer than that of the sliding element.
 - 9) The lubricant not only lowers the static and kinetic friction coefficient and the difference between them but also slows down the growth of static friction force with the time of rest, which lowers the coefficient of static friction at the start of the sliding motion. Lubricating greases are especially effective in this respect.
 - 10) It is concluded that the limiting static friction force is, in fact, the first maximum in the kinetic friction force.
 - 11) It was found that the results obtained in this work obey the Amonton's law.
 - 12) Preliminary results obtained for the rolling friction show that there is a marked narrowing in the area of sliding speeds in which the fractional oscillations are possible.
- There are 10 figures, 2 tables and 8 references: 7 Soviet-bloc and 1 non-Soviet-bloc. The reference to an English language
- Card 4/5

New experimental data ...

31901
S/643/61/000/000/007/007
E075/E485

publication reads as follows: Ref.8: J. Burwell,
E. Rabinowicz. J. Appl. Phys., 1953, v.24, no.2, 136.

ASSOCIATION: Moskovskiy stankoinstrumental'nyy institut
im. I.V.Stalina (Moscow Institute of Machine Tools
and Instruments imeni I.V.Stalin)

X

Card 5/5

PHARIN, S. A., KATLAN, R. H.,

Spraying

"Wide-range pump for spraying fruit trees." Dokl. Ak. sel'khoz. 17 no. 7, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1952 2 Uncl.

KAPLAN, R. M.

Spraying

Setting sprayers for a given discharge of vaporized poison. Sel'khoz mashina No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

MAILAN, R. M.

Scab Disease in Sheep

Apparatus for dusting sheep against scab disease. Dost. sel'khoz No. 3, 1953.

Monthly List of Russian Accessions, Library of Congress
June 1953. UNCL.